ELSEVIER

Analytica Chimica Acta 372 (1998) 417–419

ANALYTICA CHIMICA ACTA

Author Index

Alexander, P.W., see Yang, X. 387
Allmaier, G., see Linnemayr, K. 187
Arnaud, P., see Gianazza, E. 67

Bárány, K., see Bárány, M. 33
Bárány, M.
—, Bárány, K. and Giometti, C.S.
Gel electrophoresis for studying biological function 33
Basly, I., see Basly, J.P. 373
Basly, J.P.
—, Basly, I. and Bernard, M.
Electron spin resonance identification of irradiated ascorbic acid: Dosimetry and influence of powder fineness 373
Bernard, M., see Basly, J.P. 373
Bjarnason, B.
—, Johansson, P. and Johansson, G.
A novel thermal biosensor: evaluation for determination of urea in serum 341
Bond, A.M.
—, Kratsis, S. and Newman, O. .G.
Combined use of differential pulse adsorptive and anodic stripping techniques for the determination of antimony(III) and antimony(V) in zinc electrolyte 307
Bordin, G., see Virtanen, V. 231
Bossi, A., see Righetti, P.G. 1
Brynn Hibbert, D., see Yang, X. 387
Buchacher, A., see Pock, K. 219

Campiglia, A.D.
— and Vo-Dinh, T.
Rapid screening method for cocaine and benzoylecgonine in saliva samples 349
Canals, A., see Cuesta, A. 399
Cash, P.
Characterisation of bacterial proteomes by two-dimensional electrophoresis 121
Chen, S.-F., see Li, Y.-C. 365
Cserháti, T., see Rodrigues, P. 411
Cuesta, A.
—, Todolí, J.L., Mora, J. and Canals, A.
Rapid determination of chemical oxygen demand by a semi-automated method based on microwave sample digestion, chromium(VI) organic solvent extraction and flame atomic absorption spectrometry 399
Cukrowski, I.
— and Luckay, R.C.
A differential pulse polarographic study of bismuth^{III} complexes with macrocyclic ligands 1,4,7,10-tetraazacyclododecane and 1,4,7,10-tetrakis (2-hydroxypropyl)-1,4,7,10-tetraazacyclododecane. An out-of-cell determination of stability constants of polarographically active and inactive bismuth complexes at fixed ligand to metal ratio and various pH values 323

de Armas, R., see Estrella Legaz, M. 201
de los Ríos, V., see Estrella Legaz, M. 201
Deyl, Z., see Hamrníková, I. 257

Eberini, I., see Gianazza, E. 99
Estrella Legaz, M.
—, Pedrosa, M.M., de Armas, R., Rodríguez, C.W., de los Ríos, V. and Vicente, C.
Separation of soluble glycoproteins from sugarcane juice by capillary electrophoresis 201

Forgács, E., see Rodrigues, P. 411

Gauglitz, G., see Rathgeb, F. 333
Ghous, T.
— and Townshend, A.
Flow injection determination of neostigmine and galanthamine by immobilised acetylcholinesterase inhibition 379
Gianazza, E.
— and Arnaud, P.
Applications of gel electrophoresis in the determination of protein–low M_r substances and protein–protein interactions 67
—, Eberini, I., Santi, O. and Vignati, M.
Denaturant-gradient gel electrophoresis: technical aspects and practical applications 99
Giometti, C.S., see Bárány, M. 33
Griess, G.A., see Serwer, P. 299
Gyorffy, E., see Idei, M. 273

Hamrníková, I.
—, Mikšík, I., Uhrová, M. and Deyl, Z.
Ultraviolet detector response of glycine and alanine homopeptides: Some specific features in capillary electrophoresis 257

Hayakawa, K.
—, Hirano, M., Oizumi, J. and Hosoya, M.
Isoelectric focusing of biotinidase and lipoamidase with the addition of non-ionic detergent 281
Hirano, M., see Hayakawa, K. 281
Hollósy, F., see Idei, M. 273
Hosoya, M., see Hayakawa, K. 281

Idei, M.
—, Seprodi, J., Gyorffy, E., Hollósy, F., Vadász, Z., Mészáros, G., Teplán, I. and Kéri, G.
Micellar electrokinetic chromatography of highly hydrophobic peptides 273
Ilangovan, G., see Zen, J.-M. 315

Jiang, S.-J., see Li, Y.-C. 365
Johansson, G., see Bjarnason, B. 341
Johansson, P., see Bjarnason, B. 341
Josic, D., see Linnemayr, K. 187
Josic, D., see Pock, K. 219
Jungbauer, A., see Pock, K. 219

Kéri, G., see Idei, M. 273
Kannicht, C., see Pock, K. 219
Kaplan, B.
Application of polyacrylamide slab gel electrophoresis to the analysis and small-scale purification of amyloid proteins 161
Kimura, M., see Minami, T. 241
Kratsis, S., see Bond, A.M. 307
Kubo, K., see Minami, T. 241

Löster, K., see Pock, K. 219
Li, B., see Qin, W. 357
Li, Y.-C.
—, Jiang, S.-J. and Chen, S.-F.
Determination of Ge, As, Se, Cd and Pb in plant materials by slurry sampling–electrothermal vaporization–inductively coupled plasma-mass spectrometry 365
Linnemayr, K.
—, Rizzi, A., Josic, D. and Allmaier, G.
Comparison of microscale cleaning procedures for (Glyco) proteins prior to positive ion matrix-assisted laser desorption ionization mass spectrometry 187
Liu, S., see Qin, W. 357
Luckay, R.C., see Cukrowski, I. 323

Mészáros, G., see Idei, M. 273
Marshall, T.
— and Williams, K.M.
High resolution two-dimensional electrophoresis of human urinary proteins 147
Marshall, T., see Williams, K.M. 249
Meisel, H.
— and Olieman, C.
Estimation of calcium-binding constants of casein phosphopeptides by capillary zone electrophoresis 291
Michaud, D.
Gel electrophoresis of proteolytic enzymes 173
Mikšík, I., see Hamrníková, I. 257
Minami, T.
—, Tohno, Y., Okazaki, Y., Kubo, K., Otaki, N. and Kimura, M.
Quantitation of metallothionein isoforms in mouse liver on capillary zone electrophoresis 241
Morais, H., see Rodrigues, P. 411
Mora, J., see Cuesta, A. 399
Mota, T., see Rodrigues, P. 411

Newman, O. .G., see Bond, A.M. 307
Nokihara, K.
Procedures leading to primary structure determination of proteins in complex mixtures by gel electrophoresis and modern micro-scale analyses 21

Oizumi, J., see Hayakawa, K. 281
Okazaki, Y., see Minami, T. 241
Olieman, C., see Meisel, H. 291
Olivera, S., see Rodrigues, P. 411
Otaki, N., see Minami, T. 241

Pedrosa, M.M., see Estrella Legaz, M. 201
Phillips, T.M.
Determination of in situ tissue neuropeptides by capillary immunoelectrophoresis 209
Pock, K.
—, Jungbauer, A., Kannicht, C., Löster, K., Buchacher, A. and Josic, D.
Electrophoretic analyses of clotting factor VIII concentrates 219

Qin, W.
—, Zhang, Z., Li, B. and Liu, S.
Chemiluminescence flow-sensing system for hydrogen peroxide with immobilized reagents 357

Rathgeb, F.
— and Gauglitz, G.
Dyeless optical detection of ammonia in the gas phase using pH-responsive polymers with reflectometric interference spectroscopy 333
Righetti, P.G.
— and Bossi, A.
Isoelectric focusing of proteins and peptides in gel slabs and in capillaries 1
Rizzi, A., see Linnemayr, K. 187
Rodríguez, C.W., see Estrella Legaz, M. 201
Rodrigues, P.
—, Morais, H., Mota, T., Olivera, S., Forgács, E. and Cserháti, T.
Use of HPLC and multivariate methods for the evaluation of the stability of colour pigments of paprika (*Capsicum annuum*) powder 411

Santi, O., see Gianazza, E. 99
Seprodi, J., see Idei, M. 273

Serwer, P.
— and Griess, G.A.
Adaptation of pulsed-field gel electrophoresis for the improved fractionation of spheres 299

Teplán, I., see Idei, M. 273
Todolí, J.L., see Cuesta, A. 399
Tohno, Y., see Minami, T. 241
Townshend, A., see Ghous, T. 379

Uhrová, M., see Hamrníková, I. 257

Vadász, Z., see Idei, M. 273
Vicente, C., see Estrella Legaz, M. 201
Vignati, M., see Gianazza, E. 99
Virtanen, V.
— and Bordin, G.
Isoform separation of metallothioneins by capillary zone electrophoresis with Tris–tricine buffer in the presence or absence of methanol 231
Vo-Dinh, T., see Campiglia, A.D. 349

Wang, W.-M., see Zen, J.-M. 315
Williams, K.M.
— and Marshall, T.
Electrophoretic characterisation of the major cat parotid salivary protein 249
Williams, K.M., see Marshall, T. 147

Yamaoka, T.
Pore gradient gel electrophoresis: theory, practice, and applications 91
Yang, X.
—, Brynn Hibbert, D. and Alexander, P.W.
Flow injection potentiometry by poly(vinyl chloride)-membrane electrodes with substituted azacrown ionophores for the determination of lead(II) and mercury(II) ions 387

Zen, J.-M.
—, Wang, W.-M. and Ilangovan, G.
Adsorptive potentiometric stripping analysis of dopamine on clay-modified electrode 315
Zhang, Z., see Qin, W. 357